

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10677	((29/596,598,605,606,732,868) or (242/536,602,602.1,437.4,447.3, 157R,484.4,615,361.2) or (310/179,184,195,254)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/02/02 12:59
L2	212	l1 and @pd>"20060901"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/02 13:04
L3	1	l2 and slotless	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/02 13:04
S1	2	((("3777197") or ("4260924")).PN.	US-PGPUB; USPAT	OR	OFF	2007/02/01 12:05
S2	0	rectangular winding with (orientation or position) near5 slot	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/01 12:05
S3	0	rectangular with winding with (orientation or position) near5 slot same eddy	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/01 12:06
S4	1	(rectangular or rectangle) with (winding or coil or conductor) with (orientation or position) near5 slot same eddy	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/01 12:07
S5	6	("2085099").URPN.	USPAT	ADJ	ON	2007/02/01 12:19
S6	10	slotless near5 (rotor or stator or motor or generator or machine or machinery) and ("310" or "29"). claS. and eddy and (rectangle or rectangular) with (winding or coil or conductor)	USPAT	ADJ	ON	2007/02/01 12:41
S7	10	("3777197" "3995364" "4099077" "4260924" "4481438" "5197180" "5425165" "5955810" "6049966").PN. OR ("6791224"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/01 12:22
S8	11	("3453468" "3631278" "3743875" "3825783" "4132914" "4151433" "4191903" "4200817" "4381467" "4404486").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/02/01 12:28
S9	0	slotless near5 (rotor or stator or motor or generator or machine or machinery) and ("310" or "29"). claS. and eddy and (rectangle or rectangular) with (winding or coil or conductor)	EPO; JPO	ADJ	ON	2007/02/01 12:42

EAST Search History

S10	0	slotless near5 (rotor or stator or motor or generator or machine or machinery) and eddy and (rectangle or rectangular) with (winding or coil or conductor)	EPO; JPO	ADJ	ON	2007/02/01 12:42
S11	0	slotless and (rotor or stator or motor or generator or machine or machinery) and eddy and (rectangle or rectangular) and (winding or coil or conductor)	EPO; JPO	ADJ	ON	2007/02/01 12:42
S12	0	slotless and eddy and (rectangle or rectangular) and (winding or coil or conductor)	EPO; JPO	ADJ	ON	2007/02/01 12:43
S13	122	eddy and (rectangle or rectangular) and (winding or coil or conductor)	EPO; JPO	ADJ	ON	2007/02/01 12:58
S14	476	eddy current with (winding or coil) with (position or orientation or direction or arrangement)	EPO; JPO	ADJ	ON	2007/02/02 09:26
S15	2911	eddy current with (winding or coil) with (position or orientation or direction or arrangement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:26
S16	34	eddy current with (winding or coil) with (position or orientation or direction or arrangement) with (rectangle or rectangular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:35
S17	274	eddy current loss and copper loss	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:50
S18	5	winding shape near15 eddy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:51

EAST Search History

S19	1	conductor shape near15 eddy and ("310" or "29").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:52
S20	4	conductor shape near15 eddy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 12:58